



Insight Technology, Inc.

9 Akira Way, Londonderry, NH 03053

Toll Free: 877-744-4802 Fax: 603-647-7234

www.insighttechnology.com


"Insight Technology", the eye logo, the stylized "X" and Slide-Lock, are Registered Trademarks.

X², X²L, SSL-1, H²X Typhoon, ISM-V and ISM-IR are trademarks of Insight Technology, Inc.

One or more of these products may be covered by one or more of the following U.S. Patents: 5,374,986; 5,400,540; 5,430,967; 6,185,854; 6,190,025; 6,574,901 and D522,031.

© 2007 Insight Technology, Inc.

CFL-570



'07

C a t a l o g 2 0 0 7

P O L I C E





*T*he world has changed since we began Insight in 1988. From our humble beginnings in a workshop in our family's home basement, to our status today as the foremost supplier of tactical lights and lasers for the U.S. Special Operations Forces, we have never lost sight of our mission: To provide the defenders of freedom with the advantages they need to get the job done. Today, this mission is more important than ever, for we live in a dangerous world where any advantage is critical to personal safety and an operation's success.

At Insight our product development and product improvements result from a variety of interactions with the people who know best what really works... the user. Our engineers and field people employ a number of methods including the review of after-action reports, interviews, briefings and training sessions, along with laboratory and situational testing in the development of products for use in the most difficult and strenuous of situations. The end result is a line of Insight Technology products that allow the user to use their weapons more effectively and efficiently, time and time again. As you will see in this catalog our proud military heritage and technology has been incorporated into our entire line of commercial and law enforcement products.

We think you'll find our catalog interesting and informative. We look forward to your inquiries and business.



Table of Contents

SSL-1	2
H2X Typhoon	4
X-Series Pistol Lights	6
X-Series Long Gun Lights	8
M3	10
M6	11
M2 UTL	12
X2 and X2L	13
ISM-V	14
ISM-IR	15
MTM (Mini Thermal Monocular)	16
CNVD-T (Clip-On Thermal Sight)	17
AN/PEQ-2A	18
LBS (Laser Borelight System)	19
AN/PAQ-4C	20
CVL (Carbine Visible Laser)	21
ILWLP/LAM-1000	22
MUM-14 (Multi-Use Monocular)	23
Fit Chart	24
Warranty Information, IR Laser Products Disclosure, Export Notice	25



SSL-1™



Many of the world's elite law enforcement agencies put their trust in the experience of Insight Technology – the foremost supplier of tactical lasers and illuminators to the U.S. Special Operations Forces. New to the Insight line of tactical lights, the SSL-1 combines a shock proof LED light source for increased durability along with an aluminum body for heat control.

SSL-1™ Specifications

Interface Options Adjustable Slide-Lock® Rail Interface

Light Source Shock-Proof High Intensity Luxeon® LED

Run Time 90 Minute Peak Followed by Hours of Usable Light

Waterproof At 20 Meters/66 Feet

Dimensions 3.5"L x 1.8"W 1.5"H

Weight 4 oz. w/Batteries

Peak Output 80+ Lumens

Lithium Battery Power 6 Volts from Two 123


Limited Lifetime Warranty*

Additional Features:

- Patent Pending Ambidextrous Constant & Momentary Rocker Switch
- Hardcoat Anodized Aerospace-Grade Aluminum Construction



SSL-1



From the foremost supplier of tactical lasers and illuminators to U.S. Special Operations Forces and tactical lighting tools you've known for years, Insight introduces the next generation of multi-function tactical lights, the H2X TYPHOON. The H2X TYPHOON is designed to provide exceptional beam quality and intensity with superior reliability for any user whether in combat, on the job, or at home. The extended run time, intelligent circuit and user-friendly ergonomics have come together to set a new standard for **Hand-Held Xtreme (H2X)** tactical lights.

H²X Typhoon Specifications

Interface Options Handheld or Long-Gun Mounted

Light Source Shockproof High Intensity Luxeon™ LED

Run Time 90 Minute On High / 400 Hours on Low

Waterproof At 20 Meters/66 Feet

Dimensions 1.5" Head, 1" Body x 6.1" Long

Weight 5.6 oz. w/Batteries

Peak Output 80+ Lumens

Lithium Battery Power 6 Volts from Two 123

Features

Multiple Modes: Constant, Momentary, Strobe, Dimming and Lockout

- Digitally Managed Circuit to Control Output Power and Heat
- Hard-Coat Anodized Aluminum Construction
- Weapon Mountable
- Low Battery Indicator
- Limited Lifetime Warranty*

Accessories:

Ring Mount

H2X Typhoon



Shown with Optional Ring Mount

X-Series Pistol Lights



Designed to military specifications, the X-Series Tactical Illuminators are built for those who want the best possible balance of size, weight, power, and durability.

X-treme Compatibility...
Insight's patented Slide-Lock® interface allows instant tool-free mounting and removal from any tactical pistol or shoulder-fired weapon equipped with rails or a rail adapter. Our Rail-Grabber™ interface provides optimum boresight retention.



M3X Pistol Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.4"L x 1.6"W x 1.6"H
Weight 3.9 oz. w/Batteries
Peak Output 125+ Lumens
Lithium Battery Power 6 Volts from Two 123
Limited Lifetime Warranty*

- Accessories:**
- Contoured Pistol Remote Backplate
 - Long Gun Backplate
 - Flip-Up Filter in IR, Red and Opaque
 - Bikini Filter in IR, Red and Opaque

X-treme Performance...
The X-Series weapon mounted lights offer a peak output of 125 lumens and a minimum run time of one full hour. The M6X variant offers stainless steel inserts for windage and elevation adjusters that provide outstanding boresight retention.



M6X Pistol Specifications

Interface Options MIL-STD-1913, Universal, S&W, or Rail-Grabber™
Dimensions 3.4"L x 1.6"W x 2.1"H
Weight 4.4 oz. w/Batteries
Peak Output 125+ Lumens
Visible Laser

- Class IIIa, Red
- Range 200M

Lithium Battery Power 6 Volts from Two 123
Limited Lifetime Warranty*

- Accessories:**
- Contoured Pistol Remote Backplate
 - Long Gun Backplate
 - Flip-Up Filter in IR, Red and Opaque
 - Bikini Filter in IR, Red and Opaque

M3X Tactical Illuminator



X-Series Accessories



M6X Tactical Laser Illuminator



M6X-IR
The M6X is available in a Class IIb IR laser variant for authorized users, contact Insight for details.

X-Series Long Gun Lights



X-treme Versatility...

With options like interchangeable long gun and pistol backplates and filters to produce infrared light for use with night vision technology, the X-Series is easily configured for your multi-weapon, mission-specific needs.



M3X Long Gun Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.6"L x 1.6"W x 1.6"H
Weight 4.3 oz. w/Batteries
Peak Output 125+ Lumens
Lithium Battery Power 6 Volts from Two 123
Limited Lifetime Warranty*

Accessories:

- X-Series Contoured Pistol Backplate
- Flip-Up Filter in IR, Red and Opaque
- Pistol Backplate
- Bikini Filter in IR, Red and Opaque



M3X Tactical Illuminator



X-Series Accessories



X-treme Reliability...

The X-Series' Shock Suppression System produces extreme durability, allowing the bulbs to stand up to the demands of today's tactical loads. The enhanced MIL-spec design allows the airtight X-Series to be exposed to the world's harshest environments, be it a blinding desert sand storm or swimming to a depth of 66 feet in salt water.

Insight has pushed white light technology to the extreme and combined it with our combat-proven laser capability to produce the ultimate light/laser combo, the M6X.



M6X Long Gun Specifications

Interface Options MIL-STD-1913, Universal, or Rail-Grabber™
Dimensions 3.6"L x 1.6"W x 2.1"H
Weight 4.8 oz. w/Batteries
Peak Output 125+ Lumens
Visible Laser

- Class IIIa, Red
- Range 200M

Lithium Battery Power 6 Volts from Two 123
Limited Lifetime Warranty*

Accessories:

- Contoured Pistol Remote Backplate
- Pistol Backplate
- Flip-Up Filter in IR, Red and Opaque
- Bikini Filter in IR, Red and Opaque



M6X Tactical Illuminator



Rail-Grabber™ Interface

M3

The M3 set the standard for pistol-mounted lights. This tactical tool has proven itself in military combat around the world, on duty in more holsters of police officers than any other brand and mounted on countless numbers of personal and home defense weapons.



M3 Specifications

Interface Options Patented Universal Slide-Lock®

Dimensions 3.4"L x 1.6"W x 1.5"H

Weight 3.3 oz. w/Batteries

Peak Output 90+ Lumens

Lithium Battery Power 6 Volts from Two 123

Limited Lifetime Warranty*

Accessories

- Shotgun Remote
- Pistol Remote
- IR Filter



M3



M6

The M6 provides blistering white light combined with an integrated visible aiming laser. Years of service have earned the M6 a reputation for reliability, speed, and accuracy.



M6 Specifications

Interface Options Patented Universal Slide-Lock®

Dimensions 3.4"L x 1.6"W x 1.9"H

Weight 3.7 oz. w/Batteries

Peak Output 90+ Lumens

Visible Laser

- Class IIIa, Red
- Range 200M

Lithium Battery Power 6 Volts from Two 123

Limited Lifetime Warranty*

Accessories:

- Shotgun Remote
- Pistol Remote
- Long-Gun Remote Switches
- IR Filter
- Pattern Generators



M6-IR

The M6 is available in a Class IIIb IR laser variant for authorized users, contact Insight for details.



M6

M-Series Accessories



M2 UTL

The light that started the revolution, blinding power, single-handed operation, and instant tool free installation. The M2 UTL set the standard and remains your best choice for white light on a USP.



M2 UTL Accessories




IR Filter



Plug Style Remote

X2 and X2L

Get the Insight advantage in a truly concealable package. Extreme engineering has produced the world's only sub-compact weapon-mounted light and light/laser combination. The X2 features include a Slide-Lock™ interface, focusable beam, and intuitive rocker switch with constant and momentary settings. The X2L shares all of these features and a visible aiming laser with a selector switch for white light only operation.



X2 Specifications

Universal Sub-Compact (See fit chart page 24 and 25)
Dimensions 2.4"L x 1.4"W x 1.9"H
Weight 1.7 oz. w/batteries
Peak Output 40+ Lumens
Lithium Battery Power 3 Volts from one CR2
Limited lifetime warranty*



X2 Laser Specifications

Universal Sub-Compact (See fit chart page 24 and 25)
Dimensions 2.4"L x 1.4"W x 1.9"H
Weight 1.7 oz. w/Batteries
Peak Output 40+ Lumens
Visible Laser
- Class IIIa Red
- Range 200M
Lithium Battery Power 3 Volts from one CR2
Limited Lifetime Warranty*



ISM-V (Integrated Sighting Module-VIS)



ISM-V Specifications

- Integral Visible Aiming Laser Co-Aligned with Red Dot
- <2 MOA Red Dot Size
- Less Than 11 oz. With Battery
- Parallax-Free Design
- 18 Variable Brightness Settings for Red Dot, Including Night Vision Settings
- Mounts to Any MIL-STD-1913 Rail
- Integral Pressure Pad Activation and Remote Jack for External Remote Pressure Switch
- High Precision Tactile Ballistic Adjusters
- >1500 Hours Runtime for Red Dot

Insight introduces the next generation of multi-function aiming devices, the ISM-V™. The ISM-V™ is the world's only fully **Integrated Sighting Module** with co-aligned visible aiming laser built to survive real world use. With its single set of high-precision, tactile windage and elevation adjusters, the co-aligned red dot and visible laser are dialed into the target at the same time.

ISM-V



ISM-IR (Integrated Sighting Module-IR)



ISM-IR

The ISM-IR takes the full capability of the ISM-V and adds a co-aligned IR aiming laser and a variable focus IR laser illuminator.

The innovative result is a revolutionary combination capable of creating a force multiplier effect when deployed on any Mil-standard 1913 rail.

ISM-IR Specifications

- Integral Visible Aiming Laser and IR Aiming Laser Co-Aligned with Red Dot
- Variable Focus IR Illuminator
- <2 MOA Red Dot Size
- Less than 11 oz. with Battery
- Parallax-Free Design
- 18 Variable Brightness Settings for Red Dot, Including Night Vision Settings
- Mounts to Any MIL-STD-1913 Rail
- Integral Pressure Pad Activation and Remote Jack for External Remote Pressure Switch
- High Precision Tactile Ballistic Adjusters
- >500 Hours Runtime for Red Dot

ISM-IR



MTM (Mini Thermal Monocular)

Insight Technology's hand-held thermal imager provides stationary man-sized target detection performance over 400 meters. Its compact, lightweight form and exceptional image quality make the MTM a versatile tool for a wide range of missions, including reconnaissance, surveillance, and search & rescue.



MTM Specifications

- Facial Recognition @ 25 Meters
- Stationary Man-Sized Target Detection at 400 Meters
- Moving Man-Sized Target Detection at 500 Meters
- Integrated Visible Red or IR Marking Laser
- Digital Image Capture & Download (up to 160 images)
- Menu-driven functions include
 - * Brightness & Gain * Polarity (WH & BH)
 - * Calibration * 2X Digital Zoom
- Adjustable Focus
- Unity Magnification
- External Video Jack
- Ergonomically Designed for Handheld Operation
- 3 Hours Continuous Operation Using Two 3-Volt Lithium Batteries (123)
- Lightweight/Pocket Size, 11.5 oz
- Waterproof to 66'



MTM (Mini Thermal Monocular)



CNVD-T (Clip-on Thermal Sight)

Insight Technology's CNVD-T is a lightweight, multi-platform thermal imager, providing moving man-sized target detection performance over 500 meters. CNVD-T can be weapon-mounted as a stand-alone sight or in combination with existing day optics. CNVD-T's small size also makes it ideal for hand-held use.



CNVD-T Specifications

- Facial Recognition @ 25 Meters
- Stationary Man-Sized Target Detection at 400 Meters
- Moving Man-Sized Target Detection at 500 Meters
- Adjustable Focus
- Unity Magnification
- Start-Up Time Under 5-Seconds
- 2X Digital Zoom
- External Video Jack
- Boresight Adjustable, Auto Colored Reticle
- Focus Range 1-Meter to Infinity
- Mounts to any MIL-STD-1913 Rail
- Menu Driven Functions Include
 - * Polarity * Single Point Calibration
 - * Reticle On/Off * Reticle Adjustment
- Maintains Boresight to 0.5 mrad
- 8 Hours Continuous Operation on Four 3-Volt Lithium Batteries (123)
- Lightweight – 22 oz. (with Batteries)
- Waterproof to 66'

CNVD-T (Clip-On Thermal Sight)



AN/PEQ-2A (IR Aiming Laser and Illuminator)

Insight Technology's AN/PEQ-2A is a dual beam multi-function weapon-mounted IR aiming laser and illuminator. This battle-tested device provides NVG-equipped operators a tremendous advantage in lowlight confrontations.



AN/PEQ-2A



AN/PEQ-2A Specifications

- The US Military Standard for Night Direct Fire
- IR Aiming Laser for First Shot Hit Capability
 - Range >2,000 Meters
- IR Illuminator for Target Detection
 - Adjustable Beam (Spot to Flood)
- Battle-Tested
 - Iraq
 - Afghanistan
- Over 100,000 Produced for the U.S. Military
- Mounts to any MIL-STD-1913 Rail
 - M4
 - M240
 - M249
 - All U.S. Military Standard Direct Fire Weapons
- Waterproof to 66'



LBS (Laser Borelight System)

Insight Technology's Laser Borelight System provides a fast and exceptionally precise method for zeroing any aiming laser, day optic, iron sight, and thermal weapon sight to the host weapon without ever having to fire a round. The LBS can be used with any weapon-sight combination using naked eyes, direct view optics, or a night vision device.



LBS Specifications

- Intuitive to Operate
- Visible Laser-Class IIIa, Red
- Operates on One 1.5-Volt AA Battery
- Integral Beam Adjusters
- Integral Mode Switch
 - ON/OFF
 - Goggle
 - Low
 - Pulse
- No Firing Required to Achieve Zero
- Lightweight – 4.5 oz.
- Multiple Mandrels (.233 cal & .308 cal)



Department of Defense

LBS (Laser Borelight System)



AN/PAQ-4C (Infrared Aiming Light)

The AN/PAQ-4C has proven to be the dominant military standard IR aiming light. Activated by an integral momentary switch or by a remote pressure switch, the AN/PAQ-4C meets the most stringent military environmental specifications. Originally designed in the early 90s for military-only procurement, the 4C is now directly available to qualified federal, state, and municipal agencies. The AN/PAQ-4C is also available in a non-restricted visible laser variant.



AN/PAQ-4C Specifications

- Compact
- Lightweight
- 0.3 mrad Beam Divergence Powered by Two 1.5-Volt AA Batteries
- Off-Axis Visual Security
- Range 1,000 Meters
- Battle-Tested
 - Desert Storm
 - Afghanistan
 - Iraq
- Mounts to any MIL-STD-1913 Rail
 - M4
 - M16
 - M249
 - M60
- Waterproof to 66'
- Remote Switch Activation
- NSN 5855-01-398-4315



AN/PAQ-4C/Infrared Aiming Light



CVL (Carbine Visible Laser)

This small, reliable, and highly ruggedized aiming light is the product of Insight Technology's experience in developing and supplying hundreds of thousands of aiming lights to the United States and foreign militaries worldwide. The world's most elite forces are currently using the CVL, providing an easy to mount, quick to zero, visible aiming light with unmatched beam quality and performance.



CVL Specifications

- Visible Aiming Laser Mounts to Any MIL-STD-1913 Rail
- Boresight Repeatability Within 0.5 mrad
- Remote Cable Switch
- Operates on One 1.5-Volt AA battery
- Effective to Over 400 Meters in Low Light Conditions
- Waterproof to 66'
- Meets Military Specifications for:
 - Shock and Vibration
 - EMI/EMC
 - Environmental
- NSN: 5860-01-439-5409
- Note: An IR Model, the CIL, is Also Available. Contact Insight for Details.



CVL Carbine Visible Laser



ILWLP/LAM-1000

Originally designed in response to the U.S. Navy S.E.A.L.'s Assault Pistol program, the Laser Aiming Module, (L.A.M.) pioneered new ground and set the standard for multi-laser/white light capability in a compact pistol mounted package. Today, Insight Technology's LAM-1000 is known to the U.S. Military as the ILWLP.



ILWLP Specifications

- Infrared Aiming Laser
- Visible Aiming Laser
- Fixed Focus IR Illuminator
- New Focusable Visible Illuminator
- New Co-Aligned Lasers
- New Visible/Infrared Laser Inactivation Switch
- New Pattern Generators Quickly Attach Without Use of Special Tools
- Momentary or Constant on Activation
- Remote Switch Activation
- Mounts to Any MIL-STD-1913 Rail
- 100 Peak Lumens
- Waterproof to 66'

Rail Options MIL-STD-1913, Universal, Rail-Grabber™, H&K USP, or H&K MK 23

Dimensions 4.5" L x 1.6" W x 2"H

Weight 5 oz. w/Batteries

Lithium Battery Power 6 Volts from Two 123



ILWLP/LAM-1000



MUM-14 (Multi-Use-Monocular)



This high performance passive night vision monocular uses a single, MX10160(A) Generation III intensifier tube to provide crisp, clear images under the darkest conditions. This is the lightest, mass produced monocular on the market yet it's water proof to 66 feet and will run on a single Lithium 123 battery. Designed as a versatile system, the monocular can be handheld, helmet-mounted, weapon-mounted, or installed onto camera lenses.



MUM-14 Specifications

- Man-size Target:
 - Stationary – 62m
 - Moving – 90m
- Identification
 - Stationary – 265m
 - Moving – 220m
- Recognition
 - Stationary – 420m
 - Moving – 560m
- Detection
 - Stationary – 420m
 - Moving – 560m
- 5"L x 2.8"W x 2.2"H

Weight 11.5 ounces (with batteries)

Power Source Two DL123A lithium batteries

Battery Operating Life 3 hours continuous operation

Field of View 29.25° diagonal

Operating Temperatures -29°F to 120°F

Storage Temperatures -40°F to 160°F

Immersion 66 feet for 2 hours

Integral IR LED Illuminator



Insight Technology's Commercial and Law Enforcement Sales effort has partnered with NiViSys Industries to bring to market the industry's best performing and most versatile night vision monocular system available, the MUM-14. We wanted to combine Insight's extensive expertise with IR lasers and illumination with a recognized leader in specialized night vision systems to provide an unbeatable combination of top performing gear to the demanding consumers and operators in this industry.

MUM-14
(Multi-Use-Monocular)



Fit Chart



Gun Manufacturer	LG/P	Gun Model	Adapter Required	M2 (UTL)	M3	M6	X2 (XML)	X2L	M3X	M6X	SSL-1	LAM
Benelli	LG	Shotguns	CFL-900 and ext. mag tube		X	X			A1	A1	X	1250
Beretta	LG	CX4 Storm			X	X			A1	A1	X	1250
	P	PX4 Storm			X				A13	A13	X	
	P	92/96 models	Yes		X	X			A8	A8	X	1150
	P	Vertec			X	X			A8	A8	X	1150
	P	90-TWO			X	X			A8	A8	X	1150
	P	M9-A1			X	X			A8	A8	X	1150
Browning	P	PRO-9			X	X			A8	A8	X	1150
Caspian Arms	P	Recon Rail Receiver			X	X			A8	A8	X	1150
Colt	LG	M4	weaver or 1913/Picatinny						A1	A1	X	
	LG	AR-15	weaver or 1913/Picatinny						A1	A1	X	
CZ	P	75 P-01			X	X			A8	A8	X	1150
	P	100			X	X			A8	A8	X	1150
FN	LG	P90-tri rail			X	X			A8	A8	X	1150
	P	Five-SeveN			X	X			A8	A8	X	1150
	P	FNP			X	X			A8	A8	X	1150
Glock	P	17			X	X			A8	A8	X	1150
	P	19			X	X			A8	A8	X	1150
	P	20			X	X			A8	A8	X	1150
	P	21			X	X			A8	A8	X	1150
	P	22			X	X			A8	A8	X	1150
	P	23			X	X			A8	A8	X	1150
	P	25			X	X			A8	A8	X	1150
	P	32			X	X			A8	A8	X	1150
	P	34			X	X			A8	A8	X	1150
	P	35			X	X			A8	A8	X	1150
	P	37			X	X			A8	A8	X	1150
	P	38			X	X			A8	A8	X	1150
H&K	LG	MP5	weaver or 1913/Picatinny		X	X			A15,	A15	X	1150
	P	USP, Compact/Full		X								1350
	P	P2000			X	X			A8	A8	X	1150
	P	P2000SK				X	X	X				
	P	SOCOM							1450			
HS Arms Kel-Tec	P	PF-9					X	X				
Kimber	P	TLE/RL II			X	X			A8	A8	X	1150
		Warrior			X	X			A8	A8	X	1150
Mossberg			weaver or 1913/Picatinny									
Para Ordnance	P	Nite Tac			X	X			A8	A8	X	1150
	P	Lite Hawg					X	X				
Remington	LG	870	CFL-900 and ext. mag tube		X	X			A1	A1	X	1250
Ruger	P	P345			X	X			A8	A8	X	1150
	P	P90			X	X			A8	A8	X	1150
	P	P95			X	X			A8	A8	X	1150
SIGARMS	P	P220	Yes		X	X			A8	A8	X	1150
	P	P226	Yes		X	X			A8	A8	X	1150
	P	P228	Yes				X		A8	A8	X	1150
	P	P229	Yes		X	X			A8	A8	X	1150
	P	SG 552 w/ factory rails			X	X			A3	A3	X	1250
	P	GSR			X	X			A3	A3	X	1250
	P	P220R			X	X			A3	A3	X	1250
	P	P226R			X	X			A3	A3	X	1250

Gun Manufacturer	LG/P	Gun Model	Adapter Required	M2 (UTL)	M3	M6	X2 (XML)	X2L	M3X	M6X	SSL-1	LAM
	P	P228R			X	X			A3	A3	X	1250
	P	P229R			X	X			A3	A3	X	1250
	P	SP2022			X	X			A3	A3	X	1250
	LG	556			X	X			A1	A1	X	1250
	P	Mosquito			X	X			A8	A8	X	1150
Smith & Wesson	P	SW99								A11		
	P	TSW models								A11		
	P	M&P			X	X			A3	A3	X	1150
Springfield Armory	P	XD			X	X	X	X	A8	A8	X	1150
	P	XD Sub-Compact			X	X	X	X	A8	A8	X	1150
	P	MC Operator			X	X			A13	A13	X	1150
	P	TRP Operator			X	X			A3,A13	A3,A13	X	1150
	P	Champion Operator			X	X			A3,A13	A3,A13	X	1150
	P	Lightweight Operator			X	X			A3,A13	A3,A13	X	1150
	P	Micro Compact					X	X				
Steyr		M-A1			X	X			A8	A8	X	1150
STI International	P	Duty CT			X	X			A8	A8	X	1150
	P	Duty One			X	X			A8	A8	X	1150
	P	Tactical 2001 models			X	X			A8	A8	X	1150
Strayer-Voigt, Inc.	P	Infinity w/ factory rails			X	X			A8	A8	X	1150
Taurus	P	24/7			X	X			A8	A8	X	1150
	P	PT145					X	X				
	P	PT909			X	X			A8	A8	X	1150
	P	PT1911			X	X			A8	A8	X	1150
	P	PT99			X	X			A8	A8	X	1150
Walther	P	P99	weaver style rail		X	X			A8	A8	X	1150
Wilson Combat	P	COB w/ rail			X	X			A8	A8	X	1150



**LIMITED LIFETIME WARRANTY*
INSIGHT TECHNOLOGY INCORPORATED

Insight Technology, Inc. warrants its white light products be free from defects in workmanship and in materials for the life of the product. This lifetime warranty covers the product but excludes the batteries, bulbs, and accessories.

At its sole discretion, Insight Technology, Inc. shall either repair or replace any product or part (batteries, bulbs, and accessories not included), which is found to be defective under normal use and service. Insight's obligation to either repair or replace shall be the purchaser's sole and exclusive remedy under this warranty. Damage from batteries is not covered. Carefully follow maintenance instructions to prevent battery damage from occurring.

There are no other warranties, expressed or implied, other than as set forth on this page, and Insight Technology, Inc. disclaims any warranties of merchantability of fitness for a particular purpose. Insight Technology, Inc. shall not be liable for incidental, consequential, or special damages arising out of or in connection with product use or performance. For service, repair or replacement, call Insight Customer Service at 1-877-744-4802 for an RMA number, and ship UPS prepaid.

- IR laser products*
- Sales of IR laser products to non-DoD Personnel by Insight Technology are restricted by the FDA to:
- Law Enforcement Agencies (State, Local, Municipal)
 - Federal Agencies
 - Qualified Agents

Contact Insight Technology for details.

Export notice

Insight Technology products are controlled for export purposes under the International Traffic in Arms Regulations (22 C.F.R. Chapter 1, Subchapter M, Parts 120-130) and the Export Administration Regulations (15 C.F.R., Parts 730-744), and require U.S. Government authorization prior to the export or transfer to a non-U.S. Person. Contact Insight Technology for details.